



GALT AREA

419C1 Elev. 43.284  
Standard brass cap stamped "U.S.C. & G.S. B.M. Q-9, 1912" located in top of concrete abutment on east end of north abutment of SPRR bridge No. 115.07 on east side of tracks approximately 0.5 mile north of Twin Cities Rd. @ R.R. X-ing No. D-114.5. From U.S.C. & G.S. Data Q-9.

419G4 Elev. 56.585  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. D-190, 1935" located approximately 1.0 mile north of Simmerhorn Rd., approximately 0.25 mile southwest along SPRR from R.R. X-ing No. D6, 114.0 at Morengo Rd.; 15 paces north of north rail of SPRR; 14 paces south of an E. & west fence and on approximately north line of R.R. R/W (a 4"x 4" white guard post alongside) From U.S.C. & G.S. Data D-190

419H4 Elev. 53.599  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. M-943, 1958" located approximately 1.0 mile north of Simmerhorn Rd., approximately 100 paces northeast along SPRR from Morengo Rd.; 3 paces south of S.Ely rail of SPRR, one ft. southwest of northeast corner of southeast concrete headwall of culvert under SPRR. From U.S.C. & G.S. Data M-943.

400A7 Elev. 62.265  
Standard bronze cap on top of a 3" iron pipe stamped "U.S.G.S. B.M. Datum B, 62, 1907-22" located one ft. north & 4' east of fence corner, 3' south & 5' east of power pole, 12 paces south of center of Conley Rd., 17 paces east of center of Cherokee Ln. & approximately 0.75 mile north of Twin Cities Rd. (southeast corner of Conley Rd. & Cherokee Ln) (no guard post) From U.S.G.S. Data Datum B, 62, 1907-22.

419E7 Elev. 44.695  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. F-190, 1935" located 13 paces north of "F" St., 14 paces west of center of SPRR main line north bound tracks at R.R. X-ing No. D-111.5 in town of Galt. (northwest corner of "F" St. & SPRR crossing) (a 4"x 4" white guard post alongside) From U.S.C. & G.S. Data F-190.

419E7 Elev. 52.310  
Standard bronze tablet stamped "U.S.C. & G.S. Reference Mar, Galt No. 2, 1954" located 161' north of center of "C" St., 11' southeast of most S.Ely corner of Galt Elementary School Bldg, approximately 0.20 mile east of Lincoln Way in town of Galt. From U.S.C. & G.S. Data Ref. mark, Galt No. 2, 1954.

419E7 Elev. 47.070  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. E-190, 1935" located in southwest corner of concrete base of

GALT AREA

flagpole in approximately center of town of Galt City Park, between "B" St. & "C" St. & 4th St. & SPRR approximately 27 paces west of center of 4th St. From U.S.C. & G.S. Data E-190.

439E2 Elev. 48.099  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. Z-935, 1958" located 6 paces south & 1 pace west of tel. pole No. 61-G, 15 paces west of center of tracks of SPRR & 75 paces north of Kost Rd. (a 4"x 4" white guard post alongside) From U.S.C. & G.S. Data Z-935.

439C1 Elev. 40.636  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. X-584, 1939" located 1' south & 1' east of power pole B-24N, 1' east of fence corner, 8 paces south of center of New Hope Rd. & 7 paces east of center of Sargent Ave. southeast corner of New Hope Rd. & Sargent Ave. (4"x 4" white guard post alongside) From U.S.C. & G.S. Data X-584.

439A1 Elev. 34.203  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. G-190, 1935" located 1-1/2' north of fence corner, 2' east of telephone pole, 2 paces east of center of lane to south; 23' south of center of New Hope Rd. & approximately 0.20 mile west of Christensen Rd. (4"x 4" white guard post alongside) From U.S.C. & G.S. Data G-190.

438J1 Elev. 27.789  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. Y-584, 1939" located in fence line, 1' west of fence corner, 2' north & 2' west of power pole, 9 paces west of center of Harvey Rd. & 9 paces north of the center of New Hope Rd. (northwest corner of New Hope Rd. & Harvey Rd.) (a 4"x 4" white guard post alongside) From U.S.C. & G.S. Y-584.

438G1 Elev. 20.971  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. H-190, 1935" located in fence line, 4' north & 3' east of power pole A-71; 10 paces east of center of Orr Rd. & 13 paces north of center of New Hope Rd. to west (a 4"x 4" white guard post alongside) From U.S.C. & G.S. Data H-190.

399B3 Elev. 35.282  
Standard bronze cap stamped "U.S.G.S. B.M. Datum B, 35, 1901" set on top of 3" iron pipe located 2' east of west fence of SPRR; 5 paces south of center of gate; 15 paces west of west rail of SPRR; approximately 0.30 mile west of U.S. route 99 & 50; 0.10 mile north of State Bridge No. 24-45R; approximately 0.65 mile north of Arno Rd. overpass &

GALT AREA

0.70 mile south of Dillard Rd. Overpass (a 4"x 4" guard post alongside) From U.S.G.S. Data, Datum B, 35, 1901.

419F5 Elev. 55.781  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. X-935, 1958" located in top of walk at northwest corner of curved bridge overpass over U.S. Hwy 50 & 99; State bridge 24-138; north of town of Galt on Lincoln Way; approximately 0.25 mile north of Simmerhorn Rd. From U.S.C. & G.S. Data X-935.

419F6 Elev. 47.707  
Standard bronze tablet set in concrete stamped "U.S.C. & G.S. Azimuth Mark, Galt 1954" located approximately 215 yds. northeast of northeast corner of Galt High School Gym; 400' southwest of center of southbound lanes of U.S. Hwy 50 & 99; 1' north of an old fence running east & west & 2' west of a 4"x 4" wood witness post. From U.S.C. & G.S. Data Azimuth Mark - Galt, 1954.

439F2 Elev. 49.26  
1-3/8" brass disc stamped "Sac. Co. B.M. 5-22, Nelson" located in top of southwest corner of northwest abutment of concrete bridge on Lincoln Way (old Hwy to Stockton) at Dry Creek and 0.10 mile south of Kost Rd. See L.L. G-32. From U.S.G.S. B.M. Z-935.

418G1 Elev. 18.860  
Standard bronze tablet stamped "U.S.C. & G.S. B.M. H-19, 1932" set in concrete & located approximately 30' north of the center of Twin Cities Rd., 10' west & 8' north of guy pole w/ an anchor cable, 2' north of a 5 strand barb wire fence, 0.15 mile east of the east end of bridge over Laguna Creek & 1.20 mile east of Pellandini Rd. See L.L. T-7. From U.S.G.S. Data H-19, 1932 & checked from U.S.C. & G.S. B.M. L-463, 1951. (Elev. of H-19, 1932 obtained by calling U.S.G.S. at Menlo Park on 2/27/70)

418J2 Elev. 29.35  
Ramset & 7/8" metal disc stamped "Co. B.M. 5-24" located in top of northwest side of round concrete footing of northwest leg of steel tower HT 33-1 of transmission line, 30 paces south of the center of Twin Cities Rd. & 0.30 mile west of Pellandini Rd. See L.L. T-7. Levels run from U.S.G.S. B.M. H-19, 1932 & U.S.C. & G.S. B.M. L-463, 1951.

419B2 Elev. 34.66  
Large nail set in concrete with metal washer stamped "Sac. Co. B.M. 5-25" located near fence, 13 paces So. of center of pavement of Orr Rd., 9 paces east of center of pavement of Christensen Rd., 4' south of fence corner & 10' south & 4' east of power pole. See L.L. C-89. Levels run from Co. B.M. 5-15 (U.S.C. & G.S. B.M. G-190)

GALT AREA

419A6 Elev. 25.68  
Large nail set in concrete with metal washer stamped "Sac. Co. B.M. 5-26" located 1' south of fence, 9 paces north of center of pvmt. of Orr Rd., 3 paces east & 1 pace north of power pole, 7 paces east of driveway to house at 9415 Orr Rd., 155' west of center of bridge & 0.60 mile west of Christensen Rd. See L.L. C-89. From Co. B.M. U5-15 (U.S.C.& G.S. B.M. G-190)

419B7 Elev. 30.97  
Large nail set in concrete with metal washer stamped "Sac. Co. B.M. 5-27" located 1' west of fence, 9 paces east of center of pvmt. of Christensen Rd., 12 paces south of center of pvmt. of Harvey Rd., 4' south of fence corner & 3 paces south & 2 paces east of power pole with two guy wires. See L.L. C-89. From Co. B.M. 5-15 (U.S.C.& G.S. B.M. G-190)

419D4 Elev. 28.256  
Standard brass disc stamped "Sac. Co. Dept of Public Works CO B.M. 5-28" located in the east end of the south abutment at the southeast corner of concrete bridge deck on Christensen Rd. @ Dead Man Gulch, approximately 1.15 mile north of Orr Rd. From Co. B.M. 5-24. See L.L. H-82, Pg. B.M. 3 of 7, 1/19/89.

419D4 Elev. 41.345  
7/8" metal disc & ramset stamped "Co. B.M. 5-29" set in chiseled square in the top of the west end of the north abutment of SPRR bridge over Dead Man Gulch, approximately 50 feet east of center of McFarland St. and 800' north of Live Oak Ave. From Co. B.M. 5-24. See L.L. H-82, pg. 5 of 7, 1/19/89.

419E4 Elev. 43.29  
7/8" metal disc & ramset stamped "Co. B.M. 5-30" set 3' north of south end of west headwall of State bridge 24-29L over Dead Man Gulch on Lincoln Ave. (west frontage road of Hwy 99) approximately 0.15 mile north of Live Oak Ave. From Co. B.M. 5-24. See L.L. H-82, pg. B.M. 6 of 7, 1/20/89.

399C5 Elev. 37.431  
Standard bronze disc stamped "J 834 1947" set in the east end of the north abutment of bridge No. 116.24 on the SPRR line 4.5 mile north of the station @ Galt, approximately 0.2 mile north of mile post 116 & approximately 3/4 mile south of Arno Rd. overcrossing of Hwy 99, projected westly. See N.G.south vertical Control Data, Quad 381212, line 112.